Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

QH
301
.J73

VOLUME 160

5 September to 5 October 1982

ACADEMIC PRESS
London New York San Francisco

Copyright © 1982, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 160

Number 1, 5 September 1982

Sumner-Smith, M., Benchimol, S., Murialdo, H. and Becker, A., The *ben* Gene of Bacteriophage λ. Mapping, Identification and Control of Synthesis 1

Edlind, T. D. and Ihler, G. M., Electron Microscopic Mapping of Complementary Sequences on Single Strands of Bacteriophage Lambda DNA 23

Schedl, T. and Dove, W. F., Mendelian Analysis of the Organization of Actin Sequences in *Physarum polycephalum* 41

Caravatti, M., Minty, A., Robert, B., Montarras, D., Weydert, A., Cohen, A., Daubas, P. and Buckingham, M., Regulation of Muscle Gene Expression. The Accumulation of Messenger RNAs Coding for Muscle-specific Proteins During Myogenesis in a Mouse Cell Line . . . 59

Ibel, K., Neutron Diffraction of Interphase Nuclei 77

Biringer, R. G. and Fink, A. L., Methanol-stabilized Intermediates in the Thermal Unfolding of Ribonuclease A. Characterization by ^{1}H Nuclear Magnetic Resonance 87

Letters to the Editor

Evans, D. H. and Morgan, A. R., Extrahelical Bases in Duplex DNA . 117

Cesareni, G., The RNA Primer Promoter, as Defined *in Vitro*, is Essential for pMB1 Plasmid Replication *in Vivo* 123

Reshetnikova, L. S., Garber, M. B., Fomenkova, N. P., Nikonov, S. V. and Chirgadze, Y. N., Crystallographic Study of the Large Tryptic Fragments of Elongation Factor G from *Escherichia coli* . . 127

Number 2, 15 September 1982

Saragosti, S., Cereghini, S. and Yaniv, M., Fine Structure of the Regulatory Region of Simian Virus 40 Minichromosomes Revealed by DNAase I Digestion 133

Darlix, J.-L. and Spahr, P.-F., Binding Sites of Viral Protein P19 Onto Rous Sarcoma Virus RNA and Possible Controls of Viral Functions . . 147

Balmain, A., Frew, L., Cole, G., Krumlauf, R., Ritchie, A. and Birnie, G. D., Transcription of Repeated Sequences of the Mouse B1 Family in Friend Erythroleukaemic Cells. Intermolecular RNA–RNA Duplex Formation Between Polyadenylated and Non-polyadenylated Nuclear RNAs 163

Tainer, J. A., Getzoff, E. D., Beem, K. M., Richardson, J. S. and Richardson, D. C., Determination and Analysis of the 2 Å Structure of Copper, Zinc Superoxide Dismutase 181

Honzatko, R. B., Crawford, J. L., Monaco, H. L., Ladner, J. E., Edwards, B. F. P., Evans, D. R., Warren, S. G., Wiley, D. C., Ladner, R. C. and Lipscomb, W. N., Crystal and Molecular Structures of Native and CTP-liganded Aspartate Carbamoyltransferase from *Escherichia coli* . . 219

Honzatko, R. B. and Lipscomb, W. N., Interactions of Phosphate Ligands with *Escherichia coli* Aspartate Carbamoyltransferase in the Crystalline State 265

Schulz, G. E., Schirmer, R. H. and Pai, E. F., FAD-binding Site of Glutathione Reductase 287

Chothia, C. and Lesk, A. M., Evolution of Proteins Formed by β-Sheets. I. Plastocyanin and Azurin 309

Lesk, A. M. and Chothia, C., Evolution of Proteins Formed by β-Sheets. II. The Core of the Immunoglobulin Domains 325

Wagner, G. and Wüthrich, K., Amide Proton Exchange and Surface Conformation of the Basic Pancreatic Trypsin Inhibitor in Solution. Studies with Two-dimensional Nuclear Magnetic Resonance . . . 343

Letters to the Editor

Granett, S. and Villarejo, M., Regulation of Gene Expression in *Escherichia coli* by the Local Anesthetic Procaine 363

Bernabeu, C. and Lake, J. A., Packing of 70 S Ribosomes in Dimers Formed at Low Ionic Strength. Images of an Unusual Ribosome Projection 369

Hough, P. V. C., Mastrangelo, I. A., Wall, J. S., Hainfeld, J. F., Simon, M. N. and Manley, J. L., DNA–Protein Complexes Spread on N_2-discharged Carbon Film and Characterized by Molecular Weight and Its Projected Distribution. Nucleosome Formation by an *in Vitro* Transcription System 375

Yutani, K., Ogasahara, K., Kimura, A. and Sugino, Y., Effect of Single Amino Acid Substitutions at the Same Position on Stability of a Two-domain Protein 387

Stothart, P. H. and Cebula, D. J., Small-angle Neutron Scattering Study of Bovine Casein Micelles and Sub-micelles 391

NUMBER 3, 25 SEPTEMBER 1982

LIVINGSTON, D. M., A Sequence of the Yeast 2 μm DNA Plasmid Chromosome Near the Origin of Replication is Exposed to Restriction Endonuclease Digestion 397

JAMES, A. A., MORRISON, P. T. and KOLODNER, R., Genetic Recombination of Bacterial Plasmid DNA. Analysis of the Effect of Recombination-deficient Mutations on Plasmid Recombination 411

FERENCI, T. and LEE, K.-S., Directed Evolution of the Lambda Receptor of *Escherichia coli* through Affinity Chromatographic Selection . . . 431

KENYON, C. J., BRENT, R., PTASHNE, M. and WALKER, G. C., Regulation of Damage-inducible Genes in *Escherichia coli* 445

COLMAN, A., BESLEY, J. and VALLE, G., Interactions of Mouse Immunoglobulin Chains within *Xenopus* Oocytes 459

REES, D. C. and LIPSCOMB, W. N., Refined Crystal Structure of the Potato Inhibitor Complex of Carboxypeptidase A at 2·5 Å Resolution . . 475

PRAKASH, V. and TIMASHEFF, S. N., Aging of Tubulin at Neutral pH . . 499

ROSA, J. J. and RICHARDS, F. M., Effects of Binding of S-Peptide and 2′-Cytidine Monophosphate on Hydrogen Exchange from the S-Protein Component of Ribonuclease S. The Amide Protons of Serine 123 and Valine 124 517

COLOSIMO, A., COLETTA, M., FALCIONI, G., GIARDINA, B., GILL, S. J. and BRUNORI, M., Thermodynamics of Oxygen Binding to Trout Haemoglobin I and its Oxidation Intermediates 531

LETTER TO THE EDITOR

MOWBRAY, S. and PETSKO, G. A., Preliminary X-ray Data for the Ribose Binding Protein from *Salmonella typhimurium* 545

NUMBER 4, 5 OCTOBER 1982

FORBES, D. and HERSKOWITZ, I., Polarity Suppression by the *Q* Gene Product of Bacteriophage λ 549

SAWADA, S., ENOMOTO, T. and KAPP, L. N., Relationship Between DNA Chain Growth Termination and Replicon Sizes in γ-Irradiated Mouse Cells . 571

GOLDFARB, A., BROIDA, J. and ABELSON, J., Transcription *in Vitro* of an Isolated Fragment of Bacteriophage T4 Genome 579

SAYERS, Z., KOCH, M. H. J., WHITBURN, S. B., MEEK, K. M., ELLIOTT, G. F. and HARMSEN, A., Synchrotron X-ray Diffraction Study of Corneal Stroma . 593

HASEGAWA, E., KAMIYA, R. and ASAKURA, S., Thermal Transition in Helical Forms of *Salmonella* Flagella 609

HOLMES, M. A. and MATTHEWS, B. W., Structure of Thermolysin Refined at 1·6 Å Resolution 623

PALMER, G. R., CLARK, D. C., BAYLEY, P. M. and SATTELLE, D. B., A Quasi-elastic Laser Light Scattering Study of Tubulin and Microtubule Protein from Bovine Brain 641

LETTERS TO THE EDITOR

McKAY, D. B. and WILLIAMS, K. R., Crystallization of a Tryptic Core of the Single-stranded DNA Binding Protein of Bacteriophage T4 . 659

HOGLE, J. M., Preliminary Studies of Crystals of Poliovirus Type I . 663

SATO, M., HATO, Y., II, Y., MIKI, K., KASAI, N., TANAKA, N. and HARADA, T., Preliminary X-ray Studies on *Pseudomonas* Isoamylase . . 669

ERRATUM 673

Index to Volume 160

ABELSON, J. (see also GOLDFARB, A.), 579
Actin sequences in *Physarum polycephalum*, Mendelian analysis of the organization, 41
Affinity chromatographic selection and directed evolution of the lambda receptor of *Escherichia coli*, 431
Aging of tubulin at neutral pH, 499
Amide proton exchange and surface conformation of the basic pancreatic trypsin inhibitor in solution; studies with two-dimensional n.m.r., 343
— protons of serine 123 and valine 124; effects of binding of S-peptide and 2′-cytidine monophosphate on hydrogen exchange from the S-protein component of ribonuclease S, 517
Amino acid substitutions, single, at the same position, effect on stability of a two-domain protein, 387
ASAKURA, S. (see also HASEGAWA, E.), 609
Asparatate carbamoyltransferase of *Escherichia coli*, interactions with phosphate ligands in the crystalline state, 265
— —, native and CTP-liganded, from *Escherichia coli*, crystal and molecular structures, 219
Azurin and plastocyanin; evolution of proteins formed by β-sheets, 309

Bacterial plasmid DNA, genetic recombinations; analysis of the effect of recombination-deficient mutations on plasmid recombination, 411
Bacteriophage genome, transcription *in vitro* of an isolated fragment, 579
— λ *ben* gene: mapping, identification and control of synthesis, 1
— lambda DNA, electron microscopic mapping of complementary sequences on single strands, 23
— λ, polarity suppression by the *Q* gene product, 549
— T4, crystallization of a tryptic core of the single-stranded DNA binding protein, 659
BALMAIN, A., FREW, L., COLE, G., KRUMLAUF, R., RITCHIE, A. & BIRNIE, G. D., Transcription of repeated sequences of the mouse B1 family in Friend erythroleukaemic cells. Intermolecular RNA–RNA duplex formation between polyadenylated and non-polyadenylated nuclear RNAs, 163
Bases, extrahelical, in duplex DNA, 117
Basic pancreatic trypsin inhibitor in solution, amide proton exchange and surface conformation; studies with two-dimensional n.m.r., 343
BAYLEY, P. M. (see also PALMER, G. R.), 641
BECKER, A. (see also SUMNER-SMITH, M.), 1
BEEM, K. M. (see also TAINER, J. A.), 181
ben gene of bacteriophage λ. Mapping, identification and control of synthesis, 1
BENCHIMOL, S. (see also SUMNER-SMITH, M.), 1
BERNABEU, C. & LAKE, J. A., Packing of 70 S ribosomes in dimers formed at low ionic strength. Images of an unusual ribosome projection, 369
BESLEY, J. (see also COLMAN, A.), 459
β-sheet protein evolution: the core of the immunoglobulin domains, 325
— — —: plastocyanin and azurin, 309
Binding sites of viral protein P19 onto Rous sarcoma virus RNA and possible controls of viral functions, 147
— of S-peptide and 2′-cytidine monophosphate, effects on hydrogen exchange from the S-protein component of ribonuclease S; the amide protons of serine 123 and valine 124, 517
BIRINGER, R. G. & FINK, A. L., Methanol-stabilized intermediates in the thermal unfolding of ribonuclease A. Characterization by ^{1}H nuclear magnetic resonance, 87
BIRNIE, G. D. (see also BALMAIN, A.), 163
Bovine brain, a quasi-elastic laser light scattering study of tubulin and microtubule protein, 641
— casein micelles and submicelles, a small-angle neutron scattering study, 391
Brain, bovine, a quasi-elastic laser light scattering study of tubulin and microtubule protein, 641
BRENT, R. (see also KENYON, C. J.), 445
BROIDA, J. (see also GOLDFARB, A.), 579
BRUNORI, M. (see also COLOSIMO, A.), 531
BUCKINGHAM, M. (see also CARAVATTI, M.), 59

CARAVATTI, M., MINTY, A., ROBERT, B., MONTARRAS, D., WEYDERT, A., COHEN, A., DAUBAS, P. & BUCKINGHAM, M., Regulation of muscle gene expression. The accumulation of messenger RNAs coding for muscle-specific proteins during myogenesis in a mouse cell line, 59

Carbon film, N_2-discharged, use in spreading of DNA–protein complexes; characterization by molecular weight and projected distribution; nucleosome formation by an *in vitro* transcription system, 375
Carboxypeptidase A, refined crystal structure of the potato inhibitor complex at 2·5 Å resolution, 475
Casein, bovine, small-angle neutron scattering study of micelles and sub-micelles, 391
Cebula, D. J. (see also Stothart, P. H.), 391
Cereghini, S. (see also Saragosti, S.), 133
Cesareni, G., The RNA primer promoter, as defined *in vitro*, is essential for pMB1 plasmid replication *in vivo*, 123
Chirgadze, Y. N. (see also Reshetnikova, L. S.), 127
Chothia, C. & Lesk, A. M., Evolution of proteins formed by β-sheets. I. Plastocyanin and azurin, 309
— (see also Lesk, A. M.), 325
Chromosome, plasmid, yeast, a DNA sequence near the origin of replication is exposed to restriction endonuclease digestion, 397
Clark, D. C. (see also Palmer, G. R.), 641
Cohen, A. (see also Caravatti, M.), 59
Cole, G. (see also Balmain, A.), 163
Coletta, M. (see also Colosimo, A.), 531
Colman, A., Besley, J. & Valle, G., Interactions of mouse immunoglobin chains within *Xenopus* oocytes, 459
Colosimo, A., Coletta, M., Falcioni, G., Giardina, B., Gill, S. J. & Brunori, M., Thermodynamics of oxygen binding to trout haemoglobin I and its oxidation intermediates, 531
Copper, zinc superoxide dismutase, determination and analysis of the 2Å structure, 181
Corneal stroma, synchrotron X-ray diffraction study, 593
Crawford, J. L. (see also Honzatko, R. B.), 219
Crystal and molecular structures of native and CTP-liganded aspartate carbamoyltransferase from *Escherichia coli*, 219
— structure, refined, of the potato inhibitor complex of carboxypeptidase A at 2·5 Å resolution, 475
Crystallization of a tryptic core of the single-stranded DNA binding protein of bacteriophage T4, 659
Crystallographic studies of complexes of phosphate ligands with *Escherichia coli* aspartate carbamoyltransferase, 265
— study of the large tryptic fragments of elongation factor G from *Escherichia coli*, 127
Crystals of poliovirus type I, preliminary studies, 663
CTP-liganded and native aspartate carbamoyltransferase from *Escherichia coli*, crystal and molecular structures, 129
2′-Cytidine monophosphate and S-peptide binding, effects on hydrogen exchange from the S-protein component of ribonuclease S; the amide protons of serine 123 and valine 124, 517

Damage-inducible genes, regulation in *Escherichia coli*, 445
Darlix, J.-L. & Spahr, P.-F., Binding sites of viral protein P19 onto Rous sarcoma virus RNA and possible controls of viral functions, 147
Daubas, P. (see also Caravatti, M.), 59
DNA of bacteriophage lambda, electron microscopic mapping of complementary sequences on single strands, 23
— chain growth termination, relationship to replicon sizes in γ-irradiated mouse cells, 571
—, duplex, extrahelical bases, 117
—, plasmid, bacterial, the effect of recombination-deficient mutations on plasmid recombination, 411
— — chromsome, 2 μm, of yeast, a sequence near the origin of replication is exposed to restriction endonuclease digestion, 397
—, single-stranded, binding protein of bacteriophage T4, crystallization of a tryptic core, 659
DNAase I digestion reveals the fine structure of the regulatory region of SV40 minichromosomes, 133
DNA–protein complexes spread on N_2-discharged carbon film and characterized by molecular weight and its projected distribution; nucleosome formation by an *in vitro* transcription system, 375
Dimers formed at low ionic strength, packing of 70 S ribosomes; images of an unusual ribosome projection, 369
Dove, W. F. (see also Schedl, T.), 41
Duplex DNA, extrahelical bases, 117

Edlind, T. D. & Ihler, G. M., Electron microscopic mapping of complementary sequences on single strands of bacteriophage lambda DNA, 23
Edwards, B. F. P. (see also Honzatko, R. B.), 219

Electron microscopic mapping of complementary sequences on single strands of bacteriophage lambda DNA, 23
Elliott, G. F. (see also Sayers, Z.), 593
Elongation factor G from *Escherichia coli*, crystallographic study of the large tryptic fragments, 127
Enomoto, T. (see also Sawada, S.), 571
Escherichia coli aspartate carbamoyltransferase, interactions with phosphate ligands in the crystalline state, 265
— —, crystal and molecular structures of native and CTP-liganded aspartate carbamoyltransferase, 219
— —, crystallographic study of the large tryptic fragments of elongation factor G, 127
— —, directed evolution of the lambda receptor through affinity chromatographic selection, 431
— —, regulation of damage-inducible genes, 445
— —, — — gene expression by the local anesthetic procaine, 363
Evans, D. H. & Morgan, A. R., Extrahelical bases in duplex DNA, 117
Evans, D. R. (see also Honzatko, R. B.), 219
Evolution, directed, of the lambda receptor of *Escherichia coli* through affinity chromatographic selection, 431
— of proteins formed by β-sheets; the core of the immunoglobulin domains, 325
— — — — — — — — plastocyanin and azurin, 309
Extrahelical bases in duplex, 117

FAD-binding site of glutathione reductase, 297
Falcioni, G. (see also Colosimo, A.), 531
Ferenci, T. & Lee, K.-S., Directed evolution of the lambda receptor of *Escherichia coli* through affinity chromatographic selection, 431
Fink, A. L. (see also Biringer, R. G.), 87
Flagella, *Salmonella*, thermal transitions in helical forms, 609
Fomenkova, N. P. (see also Reshetnikova, L. S.), 127
Forbes, D. & Herskowitz, I., Polarity suppression by the *Q* gene product of bacteriophage λ, 549
Frew, L. (see also Balmain, A.), 163
Friend erythroleukaemic cells, transcription of repeated sequences of the mouse B1 family; intermolecular RNA–RNA duplex formation between polyadenylated and non-polyadenylated nuclear RNAs, 163

γ-irradiated mouse cells, relationships between DNA chain growth termination and replicon sizes, 571
Garber, M. B. (see also Reshetnikova, L. S.), 127
Gene, *ben*, of bacteriophage λ; mapping, identification and control of synthesis, 1
— expression regulation in *Escherichia coli* by the local anesthetic procaine, 363
— — — for muscle. The accumulation of messenger RNAs coding for muscle-specific proteins during myogenesis in a mouse cell line, 59
— product, *Q*, of bacteriophage λ, and polarity suppression, 549
Genes, damage-inducible, regulation in *Escherichia coli*, 445
Genetic recombination of bacterial plasmid DNA. Analysis of the effect of recombination-deficient mutations on plasmid recombination, 411
Genome of bacteriophage T4, transcription *in vitro* of an isolated fragment, 579
Getzoff, E. D. (see also Tainer, J. A.), 181
Giardina, B. (see also Colosimo, A.), 531
Gill, S. J. (see also Colosimo, A.), 531
Glutathione reductase, the FAD-binding site, 287
Goldfarb, A., Broida, J. & Abelson, J., Transcription *in vitro* of an isolated fragment of bacteriophage T4 genome, 579
Granett, S. & Villarejo, M., Regulation of gene expression in *Escherchia coli* by the local anesthetic procaine, 363

Haemoglobin I of trout, thermodynamics of oxygen binding and its oxidation intermediates, 531
Hainfeld, J. F. (see also Hough, P. V. C.), 375
Harada, T. (see also Sato, M.), 669
Harmen, A. (see also Sayers, Z.), 593
Hasegawa, E., Kamiya, R. & Asakura, S., Thermal transition in helical forms of *Salmonella* flagella, 609
Hato, Y. (see also Sato, M.), 669

Helical forms of *Salmonella* flagella, thermal transition, 609
HERZKOWITZ, I. (see also FORBES, D.), 549
HOGLE, J. M., Preliminary studies of crystals of poliovirus type I, 663
HOLMES, M. A. & MATTHEWS, B. W., Structure of thermolysin refined at 1·6 Å resolution, 623
HONZATKO, K. B. & LIFSCOMB, W. N., Interactions of phosphate ligands with *Escherichia coli* aspartate carbamoyltransferase in the crystalline state, 265
—, CRAWFORD, J. L., MONACO, H. L., LADNER, J. E., EDWARDS, B. F. P., EVANS, D. R., WARREN, S. G., WILEY, D. C., LADNER, R. C. & LIPSCOMB, W. N., Crystal and molecular structures of native and CTP-liganded aspartate carbamoyltransferase from *Escherichia coli*, 219
HOUGH, P. V. C., MASTRANGELO, I. A., WALL, J. S., HAINFELD, J. F., SIMON, M. N. & MANLEY, J. L., DNA–protein complexes spread on N_2-discharged carbon film and characterized by molecular weight and its projected distribution. Nucleosome formation by an *in vitro* transcription system, 375
Hydrogen exchange from the S-protein compenent of ribonuclease S, the effects of binding of S-peptide and 2′-cytidine monophosphate; the amide protons of serine 123 and valine 124, 517
^{1}H nuclear magnetic resonance characterization of methanol-stablized intermediates in the thermal unfolding of ribonuclease A, 87

IBEL, K., Neutron diffraction of interphase nuclei, 77
IHLER, G. M. (see also EDLINO, T. D.), 23
II, Y. (see also SATO, M.), 669
Immunoglobulin chains, mouse, interactions within *Xenopus* oocytes, 459
— domain core; the evolution of proteins formed by β-sheets, 325
Inhibitor complex, potato, of carboxypeptidase A, refined crystal structure at 2·5 Å resolution, 475
Interphase nuclei, neutron diffraction, 77

JAMES, A. A., MORRISON, P. T. & KOLODNER, R., Genetic recombination of bacterial plasmid DNA. Analysis of the effect of recombination-deficient mutations on plasmid recombination, 411

KAMIYA, R. (see also HASEGAWA, E.), 609
KAPP, L. N. (see also SAWADA, S.), 571
KASAI, N. (see also SATO, M.), 669
KENYON, C. J., BRENT, R., PTASHNE, M. & WALKER, G. C., Regulation of damage-inducible genes in *Escherichia coli*, 445
KIMURA, A. (see also YUTANI, K.), 387
KOCH, M. H. J. (see also SAYERS, Z.), 593
KOLODNER, R. (see also JAMES, A. A.), 411
KRUMLAUF, R. (see also BALMAIN, A.), 163

λ (see also Bacteriophage), 1, 23, 549
Lambda receptor of *Escherichia coli*, directed evolution through affinity chromatographic selection, 431
LADNER, J. E. (see also HONZATKO, R. B.), 219
LADNER, R. C. (see also HONZATKO, R. B.), 219
LAKE, J. A. (see also BERNABEU, C.), 369
Laser, quasi-elastic, light scattering study of tubulin and microtubule protein from bovine brain, 641
LEE, K.-S. (see also FERENCI, T.), 431
LESK, A. M. & CHOTHIA, C., Evolution of proteins formed by β-sheets. II. The core of the immunoglobulin domains, 325
— (see also CHOTHIA, C.), 309
Light scattering study, laser, quasi-elastic, of tubulin and microtubule protein from bovine brain, 641
LIPSCOMB, W. N. (see also HONZATKO, R. B.), 219, 265
— (see also REES, D. C.), 475
LIVINGSTON, D. M., A sequence of the yeast 2 μm DNA plasmid chromosome near the origin of replication is exposed to restriction endonuclease digestion, 397

MCKAY, D. B. & WILLIAMS, K. R., Crystallization of a tryptic core of the single-stranded DNA binding protein of bacteriophage T4, 659
MANLEY, J. L. (see also HOUGH, P. V. C.), 375
Mapping, electron microscopic, of complementary sequences on single strands of bacteriophage lambda DNA, 23

—, identification and control of synthesis for the *ben* gene of bacteriophage λ, 1
Mastrangelo, I. A. (see also Hough, P. V. C.), 375
Matthews, B. W. (see also Holmes, M. A.), 523
Meek, K. M. (see also Sayers, Z.), 593
Mendelian analysis of the organization of actin sequences in *Physarum polycephalum*, 41
Messenger RNAs coding for muscle-specific proteins, accumulation during myogenesis in a mouse cell line; regulation of muscle gene expression, 59
Methanol-stabilized intermediates in the thermal unfolding of ribonuclease A. Characterization by ^{1}H n.m.r., 87
Micelles and sub-micelles of bovine casein, a small-angle neutron scattering study, 391
Microtubule protein from bovine brain, a quasi-elastic laser light scattering study, 641
Miki, K. (see also Sato, M.), 669
Minichromosomes, SV40, fine structure of the regulatory region revealed by DNAase I digestion, 133
Minty, A. (see also Caravatti, M.), 59
Monaco, H. L. (see also Honzatko, R. B.), 219
Montarras, D. (see also Caravatti, M.), 59
Morgan, A. R. (see also Evans, D. H.), 117
Morrison, P. T. (see also James, A. A.), 411
Mouse B1 family in Friend erythroleukaemic cells, transcription of repeated sequences; intermolecular RNA–RNA duplex formation between polyadenylated and non-polyadenylated nuclear RNAs, 163
— cell line, the accumulation of mRNAs coding for muscle-specific proteins during myogenesis; regulation of muscle gene expression, 59
— cells, γ-irradiated, relationship between DNA chain growth termination and replicon sizes, 571
— immunoglobulin chains, interactions within *Xenopus* oocytes, 459
Mowbray, S. & Petsko, G. A., Preliminary X-ray data for the ribose binding protein from *Salmonella typhimurium*, 545
Murialdo, H. (see also Sumner-Smith, M.), 1
Muscle gene expression regulation. The accumulation of messenger RNAs coding for muscle-specific proteins during myogenesis in a mouse cell line, 59
Mutations, recombination-deficient, effect on bacterial plasmid recombination, 411
Myogenesis in a mouse cell line, the accumulation of mRNAs coding for muscle-specific proteins; regulation of muscle gene expression, 59

Neutron diffraction of interphase nuclei, 77
— scattering, small-angle, study of bovine casein micelles and sub-micelles, 391
Nikonov, S. V. (see also Reshetnikova, L. S.), 127
N_2-discharged carbon film, use for spreading of DNA-protein complexes; characterization by molecular weight and projected distribution; nucleosome formation by an *in vitro* transcription system, 375
Nuclear magnetic resonance characterization of methanol-stabilized intermediates in the thermal unfolding of ribonuclease A, 87
— — —, two-dimensional, studies of amide proton exchange and surface conformation of the basic pancreatic trypsin inhibitor in solution, 343
Nucleosome formation by an *in vitro* transcription system; DNA-protein complexes spread on N_2-discharged carbon film and characterized by molecular weight and projected distribution, 375

Ogasahara, K. (see also Yutani, K.), 387
Oocytes, *Xenopus*, use in study of interactions of mouse immunoglobulin chains, 459
Oxygen binding to trout haemoglobin I and its oxidation intermediates, thermodynamics, 531

Packing of 70 S ribosomes in dimers formed at low ionic strength; images of an unusual ribosome projection, 369
Pai, E. F. (see also Schulz, G. E.), 287
Palmer, G. R., Clark, D. C., Bayley, P. M. & Satterlee, D. B., A quasi-elastic laser light scattering study of tubulin and microtubule protein from bovine brain, 641
Petsko, G. A. (see also Mowbray, S.), 545
Phosphate ligands, interactions with *Escherichia coli* aspartate carbamoyltransferase in the crystalline state, 265
Physarum polycephalum, Mendelian analysis of the organization of actin sequences, 41
Plasmid chromosome of yeast, a DNA sequence near the origin of replication is exposed to restriction endonuclease digestion, 397

— DNA, bacterial, the effect of recombination-deficient mutations on plasmid recombination, 411
Plastocyanin and azurin; evolution of proteins formed by β-sheets, 309
Polarity suppression by the *Q* gene product of bacteriophage λ, 549
Poliovirus type I crystals, preliminary studies, 663
Potato inhibitor complex of carboxypeptidase A, refined crystal structure at 2·5 Å resolution, 475
pMB1 plasmid replication *in vivo*, the RNA primer promoter, as defined *in vitro*, is essential, 123
PRAKASH, V. & TIMASHEFF, S. N., Aging of tubulin at neutral pH, 499
Primer promoter, RNA, as defined *in vitro*, is essential for pMB1 plasmid replication *in vivo*, 123
Procaine regulation of gene expression in *Escherichia coli*, 363
Protein P19 binding sites onto Rous sarcoma virus RNA and possible controls of viral functions, 147
—, ribose binding, from *Salmonella typhimurium*, preliminary X-ray data, 545
—, two-domain, effect on stability of single amino acid substitution at the same position, 387
—-DNA complexes spread on N_2-discharged carbon film and characterized by molecular weight and its projected distribution; nucleosome formation by an *in vitro* transcription system, 375
— formed by β-sheets, evolution; the core of the immunoglobulin domains, 325
— — — — —, —; plastocyanin and azurin, 309
Proton exchange, amide, and surface conformation of the basic pancreatic trypsin inhibitor in solution: studies with two-dimensional n.m.r., 343
Pseudomonas isoamylase, preliminary X-ray studies, 669
PTASHNE, M. (see also KENYON, C. J.), 445

Q polarity suppression in bacteriophage λ, 549
Quasi-elastic laser light scattering study of tubulin and microtubule protein from bovine brain, 641

Recombination, genetic, of bacterial plasmid DNA. Analysis of the effect of recombination-deficient mutations on plasmid recombination, 411
REES, D. C. & LIPSCOMB, W. W., Refined crystal structure of the potato inhibitor complex of carboxypeptidase A at 2·5 Å resolution, 475
Regulation of damage-inducible genes in *Escherichia coli*, 445
— — gene expression in *Escherichia coli* by the local anesthetic procaine, 363
— — muscle gene expression. The accumulation of messenger RNAs coding for muscle-specific proteins during myogenesis in a mouse cell line, 59
Regulatory region of SV40 minichromosomes, fine structure revealed by DNAase I digestion, 133
Replication, pMB1 plasmid, *in vivo*, the RNA primer promoter, as defined *in vitro*, is essential, 123
Replicon sizes, relationship to DNA chain growth termination in γ-irradiated mouse cells, 571
RESHETNIKOVA, L. S., GARBER, M. B., FOMENKOVA, N. P., NIKONOV, S. V. & CHIRGADZE, Y. N., Crystallographic study of the large tryptic fragments of elongation factor G from *Escherichia coli*, 127
Restriction endonuclease digestion shows exposure of a sequence of the yeast 2 μm DNA plasmid chromosome, 397
Ribonuclease A, methanol-stabilized intermediates in thermal unfolding; characterization by ^{1}H n.m.r., 87
— S, effects of binding of S-peptide and 2′-cytidine monophosphate on hydrogen exchange from the S-protein component; the amide protons of serine 123 and valine 124, 517
RNA primer promoter, as defined *in vitro*, is essential for pMB1 plasmid replication *in vivo*, 123
— of Rous sarcoma virus, binding sites of viral protein P19, and possible controls of viral functions, 147
—-RNA duplex formation between polyadenylated and non-polyadenylated nuclear RNAs; transcription of repeated sequences of the mouse B1 family in Friend erythroleukaemic cells, 163
Ribose binding protein from *Salmonella typhimurium*, preliminary X-ray data, 545
Ribosomes, 70 S, packing in dimers formed at low ionic strength; images of an unusual ribosome projection, 369
RICHARDS, F. M. (see also ROSA, J. J.), 517
RICHARDSON, D. C. (see also TAINER, J. A.), 181
RICHARDSON, J. S. (see also TAINER, J. A.), 181
RITCHIE, A. (see also BALMAIN, A.), 163
ROBERT, B. (see also CARAVATTI, M.), 59
ROSA, J. J. & RICHARDS, F. M., Effects of binding of S-peptide and 2′-cytidine monophosphate on hydrogen exchange from the S-protein component of ribonuclease S. The amide protons of serine 123 and valine 124, 517
Rous sarcoma virus RNA, binding sites of viral protein P19, and possible controls of viral functions, 147

Salmonella flagella, thermal transitions in helical forms, 609
— *typhimurium*, preliminary X-ray data for the ribose binding protein, 545
Saragosti, S., Cereghini, S. & Yaniv, M., Fine structure of the regulatory region of simian virus 40 minichromosomes revealed by DNAase I digestion, 133
Sattelle, D. B. (see also Palmer, G. R.), 641
Sato, M., Hato, Y., Ii, Y., Miki, K., Kasai, N., Tanaka, N. & Harada, T., Preliminary X-ray studies on *Pseudomonas* isoamylase, 669
Sawada, S., Enomoto, T. & Kapp, L. N., Relationship between DNA chain growth termination and replicon sizes in γ-irradiated mouse cells, 571
Sayers, Z., Koch, M. H. J., Whitburn, S. B., Meek, K. M., Elliott, G. F. & Harmsen, A., Synchrotron X-ray diffraction study of corneal stroma, 593
Schedl, T. & Dove, W. F., Mendelian analysis of the organization of actin sequences in *Physarum polycephalum*, 41
Schirmer, R. H. (see also Schulz, G. E.), 87
Schulz, G. E., Schirmer, R. H. & Pai, E. F., FAD-binding site of glutathione reductase, 287
Sequence of the yeast 2 μm DNA plasmid chromosome near the origin of replication is exposed to restriction endonuclease digestion, 397
Sequences, actin, in *Physarum polycephalum*, Mendelian analysis of the organization, 41
—, complementary, on single strands of bacteriophage lambda DNA, electron microscopic mapping, 23
Serine 123 and valine 124, the amide protons; effects of binding of S-peptide and 2′-cytidine monophosphate on hydrogen exchange from the S-protein component of ribonuclease S, 517
Simian virus 40 (see also Virus), 133
Simon, M. N. (see also Hough, P. V. C.), 375
Single-stranded DNA binding protein of bacteriophage T4, crystallization of a tryptic core, 659
Spahr, P.-F. (see also Darlix, J.-L.), 147
S-peptide and 2′-cytidine monophosphate binding, effects on hydrogen exchange from the S-protein component of ribonuclease S; the amide protons of serine 125 and valine 124, 517
Stability of a two-domain protein, effect of single amino acid substitutions at the same position, 387
Stothart, P. H. & Cebula, D. J., Small-angle neutron scattering study of bovine casein micelles and sub-micelles, 391
Structure at 2 Å of copper, zinc superoxide dismutase, determination and analysis, 181
—, fine, of the regulatory region of simian virus 40 minichromosomes revealed by DNAase I digestion, 133
— of thermolysin refined at 1·6 Å resolution, 623
—, crystal and molecular, of native and CTP-liganded aspartate carbamoyltransferase from *Escherichia coli*, 219
Sugino, Y. (see also Yutani, K.), 387
Sumner-Smith, M., Benchimol, S., Murialdo, H. & Becker, A., The *ben* gene of bacteriophage λ. Mapping, identification and control of synthesis, 1
Synchrotron X-ray diffraction study of corneal stroma, 593

T4 (see also Bacteriophage), 579, 659
Tainer, J. A., Getzoff, E. D., Beem, K. M., Richardson, J. S. & Richardson, D. C., Determination and analysis of the 2 Å structure of copper, zinc superoxide dismutase, 181
Tanaka, N. (see also Sato, M.), 669
Thermal transition in helical forms of *Salmonella* flagella, 609
— unfolding of ribonuclease A, and methanol-stabilized intermediates; characterization by ^{1}H n.m.r., 87
Thermodynamics of oxygen binding to trout haemoglobin I and its oxidation intermediates, 531
Thermolysin, structure refined at 1·6 Å resolution, 623
Timasheff, S. N. (see also Prakash, V.), 499
Transcription *in vitro* of an isolated fragment of bacteriophage T4 genome, 579
— of repeated sequences of the mouse B1 family in Friend erythroleukaemic cells. Intermolecular RNA–RNA duplex formation between polyadenylated and non-polyadenylated nuclear RNAs, 163
Trout haemoglobin I, thermodynamics of oxygen binding and oxidation intermediates, 531
Tryptic core crystallization of the single-stranded DNA binding protein of bacteriophage T4, 659
— fragments, large, of elongation factor G from *Escherichia coli*, a crystallographic study, 127
Tubulin aging at neutral pH, 499
— and microtubule protein from bovine brain, a quasi-elastic laser light scattering study, 641

Unfolding, thermal, of ribonuclease A, and methanol-stabilized intermediates; characterization by ^1H n.m.r., 87

Valine 124 and serine 123, the amide protons; effects of binding of S-peptide and 2′-cytidine monophosphate on hydrogen exchange from the S-protein component of ribonuclease S, 517
VALLE, G. (see also COLMAN, A.), 459
VILLAREJO, M. (see also GRANETT, S.), 363
Viral protein P19 binding sites onto Rous sarcoma virus RNA and possible controls of viral function, 147
Virus, simian virus 40, fine structure of the regulatory region of minichromosomes revealed by DNAase I digestion, 133

WAGNER, G. & WÜTHRICH, K., Amide proton exchange and surface conformation of the basic pancreatic trypsin inhibitor in solution. Studies with two-dimensional nuclear magnetic resonance, 343
WALKER, G. C. (see also KENYON, C. J.), 445
WALL, J. S. (see also HOUGH, P. V. C.), 375
WARREN, S. G. (see also HONZATKO, R. B.), 219
WEYDERT, A. (see also CARAVATTI, M.), 59
WHITBURN, S. B. (see also SAYERS, Z.), 593
WILEY, D. C. (see also HONZATKO, R. B.), 219
WILLIAMS, K. R. (see also MCKAY, D. B.), 659
WÜTHRICH, K. (see also WAGNER, G.), 343

Xenopus oocytes, use in study of interactions of mouse immunoglobulin chains, 459
X-ray data, preliminary, for the ribose binding protein from *Salmonella typhimurium*, 545
— studies, preliminary, on *Pseudomonas* isoamylase, 669
—, synchrotron, diffraction study of corneal stroma, 593

YANIV, M. (see also SARAGOSTI, S.), 133
Yeast 2 μm DNA plasmid chromosome, a sequence near the origin of replication is exposed to restriction endonuclease digestion, 397
YUTANI, K., OGASAHARA, K., KIMURA, A. & SUGINO, Y., Effect of single amino acid substitutions at the same position on stability of a two-domain protein, 387